

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7136	(clock and data) with recovery	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 09:43
L2	16	1 and data adj drop adj2 (out or loss)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 09:43
L3	11	2 and @ad<="20010330"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 09:49
L4	0	3 and ((plurality or multiple) adj phases)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 09:51
L5	1	3 and ((plurality or multiple) adj2 sample\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:03
L6	0	375/340.ccls. and data adj (drop adj2 (out or loss))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:12
L7	1	375/231.ccls. and data adj (drop adj2 (out or loss))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:04
L8	1	379/3.ccls. and data adj (drop adj2 (out or loss))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:04
L9	1	714/714.ccls. and data adj (drop adj2 (out or loss))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:05
L10	0	714/714.ccls. and corect\$3 adj signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:05
L11	1	714/714.ccls. and correct\$3 adj signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:08
L12	116	348/472.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:06

L13	1	12 and data adj (drop adj2 (out or loss))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:06
L14	0	348/4505cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:06
L15	0	348/505cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:06
L16	233	348/505.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:06
L17	1	16 and data adj (drop adj2 (out or loss))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:08
L18	1	386/13.ccls. and data adj (drop adj2 (out or loss))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:07
L19	1	714/800.ccls. and data adj (drop adj2 (out or loss))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:08
L20	8	360/32.ccls. and data adj (drop adj2 (out or loss))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:08
L21	8	20 and data adj (drop adj2 (out or loss))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:08
L22	3	21 and correct\$3 adj signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:10
L23	0	22 and (plurality or multiple) adj (phase\$1 or sample\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:11
L24	1	375/363.ccls. and data adj (drop adj2 (out or loss))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/20 10:12

S1	11	dcpll or (clock adj2 data adj recovery adj phase adj lock\$2 adj loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 08:07
S2	9	(dcpll or (clock adj2 data adj recovery adj phase adj lock\$2 adj loop)) and @ad<="20000717"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 09:12
S3	46709	phase adj2 lock\$2 adj loop	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 09:12
S4	520	(phase adj2 lock\$2 adj loop) and ((analog near circuit) and (digital near circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 14:17
S5	5	((dcpll or (clock adj2 data adj recovery adj phase adj lock\$2 adj loop)) and @ad<="20000717") and reference near clock	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 09:14
S6	136	((phase adj2 lock\$2 adj loop) and ((analog near circuit) and (digital near circuit))) and reference near clock	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 09:14
S7	1	((phase adj2 lock\$2 adj loop) and ((analog near circuit) and (digital near circuit))) and reference near clock) and measur\$3 near width	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 09:18
S8	6	("5170386" "5521895" "5528574" "5535183" "5694380" "5703851").PN.	USPAT	OR	OFF	2004/07/20 09:17
S9	0	((phase adj2 lock\$2 adj loop) and ((analog near circuit) and (digital near circuit))) and reference near clock) and (generat\$3 near plurality adj3 sample\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 09:26
S10	23746	(sampl\$3 or ("a" adj2 "d")) and (pll or (phase adj lock\$3 adj2 loop))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 09:30
S11	17545	((sampl\$3 or ("a" adj2 "d")) and (pll or (phase adj lock\$3 adj2 loop))) and @ad<="20000717"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 09:31
S12	2587	((sampl\$3 or ("a" adj2 "d")) and (pll or (phase adj lock\$3 adj2 loop))) and @ad<="20000717") and reference adj2 clock\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 09:42

S13	598	(((((sampl\$3 or ("a" adj2 "d")) and (pll or (phase adj lock\$3 adj2 loop))) and @ad<="20000717") and reference adj2 clock\$1) and (digital with (phase adj2 lock\$2 adj2 loop\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 09:43
S14	1	(((((sampl\$3 or ("a" adj2 "d")) and (pll or (phase adj lock\$3 adj2 loop))) and @ad<="20000717") and reference adj2 clock\$1) and (digital with (phase adj2 lock\$2 adj2 loop\$1))) and (width near symbol\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 11:14
S15	82	slicer with pll	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 11:18
S16	1	((slicer with pll) and @ad<="20000717") and ((measur\$3 or determin\$3) adj2 width)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 11:15
S17	46	(slicer with pll) and @ad<="20000717"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 11:45
S18	55	(sampl\$3 adj2 data) with ((multiple or plural) adj3 clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 11:46
S19	29	((sampl\$3 adj2 data) with ((multiple or plural) adj3 clock\$1)) and @ad<="20000717"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 11:47
S20	0	((sampl\$3 adj2 data) with ((multiple or plural) adj3 clock\$1)) and @ad<="20000717") and slicer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 11:47
S21	6	((sampl\$3 adj2 data) with ((multiple or plural) adj3 clock\$1)) and @ad<="20000717") and pll	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 12:38
S22	0	data adj recovery with ((measuring or determining) adj2 (pulse adj width))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 12:40
S23	0	data adj recovery with ((measuring or determining) adj2 ((pulse or symbol) adj width))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 12:40

S24	3	data adj recovery and ((measuring or determining) adj2 ((pulse or symbol) adj width))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 15:11
S25	5480	data adj recovery and (length near (data adj symbol\$1)) or (length near (data adj2 bit)) or (signal adj width) or (start\$3 near (data adj edge))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 15:15
S26	4303	(data adj recovery and (length near (data adj symbol\$1)) or (length near (data adj2 bit)) or (signal adj width) or (start\$3 near (data adj edge))) and @ad<="20000717"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 15:16
S27	4	((data adj recovery and (length near (data adj symbol\$1)) or (length near (data adj2 bit)) or (signal adj width) or (start\$3 near (data adj edge))) and @ad<="20000717") and sampler\$1 and pll	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 15:21
S28	2927	375/354.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 15:25
S29	21	375/354.ccls. and (pll and sampler)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 15:24
S30	2	(375/354.ccls. and (pll and sampler)) and measur\$3 near (symbol\$ or signal or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 15:24
S31	501	375/326.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 15:24
S32	9	375/326.ccls. and (pll and sampler)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 15:25
S33	0	(375/326.ccls. and (pll and sampler)) and measur\$3 near (symbol\$ or signal or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 15:25
S34	1300	375/340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 15:25

S35	0	((375/326.ccls. and (pll and sampler)) and measur\$3 near (symbol\$ or signal or data)) and measur\$3 near (symbol\$ or signal or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 15:25
S36	13	375/340.ccls. and (pll and sampler)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 15:25
S37	8	(375/340.ccls. and (pll and sampler)) and @ad<="20000717"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/20 15:26
S38	10	(US-6650607-\$ or US-6564352-\$ or US-6333902-\$ or US-6137757-\$ or US-5721755-\$ or US-5592300-\$ or US-5444687-\$ or US-4688246-\$ or US-4583236-\$ or US-6166572-\$). did.	USPAT	OR	OFF	2004/07/20 16:10
S39	0	((US-6650607-\$ or US-6564352-\$ or US-6333902-\$ or US-6137757-\$ or US-5721755-\$ or US-5592300-\$ or US-5444687-\$ or US-4688246-\$ or US-4583236-\$ or US-6166572-\$). did.) and width near (symbol\$1 or data or bit\$1)	USPAT	OR	OFF	2004/07/20 16:11
S40	339	((clock or data) adj recovery) and width near (symbol\$1 or data or bit\$1)	USPAT	OR	OFF	2004/07/20 16:12
S41	290	((((clock or data) adj recovery) and width near (symbol\$1 or data or bit\$1)) and @ad<="20000717"	USPAT	OR	OFF	2004/07/20 16:12
S42	189	(((((clock or data) adj recovery) and width near (symbol\$1 or data or bit\$1)) and @ad<="20000717") and (correction or adjustment)	USPAT	OR	OFF	2004/07/20 16:14
S43	59	((((((clock or data) adj recovery) and width near (symbol\$1 or data or bit\$1)) and @ad<="20000717") and (correction or adjustment)) and pll	USPAT	OR	OFF	2004/07/20 16:14
S44	31	((((((((clock or data) adj recovery) and width near (symbol\$1 or data or bit\$1)) and @ad<="20000717") and (correction or adjustment)) and pll) and (("a" adj2 "d") or sampler)	USPAT	OR	OFF	2004/07/20 16:33
S45	1	"3983489".pn.	USPAT	OR	OFF	2004/07/20 16:33
S46	1	"3983498".pn.	USPAT	OR	OFF	2004/07/20 16:37
S47	671	327/156.ccls. and pll	USPAT	OR	OFF	2004/07/20 16:38

S48	0	(327/156.ccls. and pll) and symbol adj2 width	USPAT	OR	OFF	2004/07/20 16:38
S49	1	(327/156.ccls. and pll) and symbol adj2 length	USPAT	OR	OFF	2004/07/20 17:51
S50	2	"3983498".pn. "5850422".pn.	USPAT	OR	OFF	2004/07/20 17:51
S51	1084	dp11 or (digital adj2 phase adj2 lock\$2 adj2 loop) and ((measur\$3 or determin\$3) near (width or length))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 08:42
S52	739	(dp11 or (digital adj2 phase adj2 lock\$2 adj2 loop) and ((measur\$3 or determin\$3) near (width or length))) and @ad<="20000717"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 08:10
S53	40	((dp11 or (digital adj2 phase adj2 lock\$2 adj2 loop) and ((measur\$3 or determin\$3) near (width or length))) and @ad<="20000717") and ((correction or adjustment) adj signal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 08:11
S54	7	((dp11 or (digital adj2 phase adj2 lock\$2 adj2 loop) and ((measur\$3 or determin\$3) near (width or length))) and @ad<="20000717") and ((correction or adjustment) adj signal\$1) and (lock\$2 adj state)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 08:14
S55	227	(hybrid near (phase adj2 lock\$2 adj2 loop)) or ((analog and digital) near (phase adj lock\$2 adj2 loop))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 08:16
S56	7	((hybrid near (phase adj2 lock\$2 adj2 loop)) or ((analog and digital) near (phase adj lock\$2 adj2 loop))) and ((measur\$3 or determin\$3) near (width or length))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 08:21
S57	4	((hybrid near (phase adj2 lock\$2 adj2 loop)) or ((analog and digital) near (phase adj lock\$2 adj2 loop))) and ((measur\$3 or determin\$3) near (width or length))) and @ad<="20000717"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 08:22
S58	11	((hybrid near (phase adj2 lock\$2 adj2 loop)) or ((analog and digital) near (phase adj lock\$2 adj2 loop))) and logic adj high	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 08:22
S59	7	((hybrid near (phase adj2 lock\$2 adj2 loop)) or ((analog and digital) near (phase adj lock\$2 adj2 loop))) and logic adj high) and @ad<="20000717"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 08:22

S60	188	(dpll or (digital adj2 phase adj2 lock\$2 adj2 loop)) and ((width or length)) near (symbol\$1 or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 08:45
S61	188	(dpll or (digital adj2 phase adj2 lock\$2 adj2 loop)) and ((width or length)) near (symbol\$1 or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 08:45
S62	112	((dpll or (digital adj2 phase adj2 lock\$2 adj2 loop)) and ((width or length)) near (symbol\$1 or data))) and @ad<="20000717"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 08:45
S63	109	((dpll or (digital adj2 phase adj2 lock\$2 adj2 loop)) and ((width or length)) near (symbol\$1 or data))) and @ad<="20000717") and lock\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 08:46
S64	2	(((((dpll or (digital adj2 phase adj2 lock\$2 adj2 loop)) and ((width or length)) near (symbol\$1 or data))) and @ad<="20000717") and lock\$2) and (first adj edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 10:56
S65	2103	375/376.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 12:28
S66	1231	375/376.CCLS. and pll	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 11:36
S67	10	(375/376.CCLS. and pll) and ((measur\$3 or determin\$) near (length or width))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 11:37
S68	39	(375/376.CCLS. and pll) and ((measur\$3 or determin\$) near (length or width))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 11:37
S69	31	((375/376.CCLS. and pll) and ((measur\$3 or determin\$) near (length or width))) and @ad<="20000717"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/21 11:37
S70	14	(phase adj2 lock\$2 adj loop) and ((analog near circuit) and (digital near circuit)) and strobe adj signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 14:18
S71	7	((phase adj2 lock\$2 adj loop) and ((analog near circuit) and (digital near circuit)) and strobe adj signal\$1) and @ad<="20010320"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 14:18

S72	7	((phase adj2 lock\$2 adj loop) and ((analog near circuit) and (digital near circuit)) and strobe adj signal\$1) and @ad<="20010330"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 14:34
S73	0	dcpll and (first adj strobe)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 14:35
S74	377	(phase adj\$2 lock\$3 adj\$3 loop) and (first adj strobe)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 14:36
S75	49	(phase adj2 lock\$3 adj2 loop) and (first adj strobe)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 14:37
S76	0	((((phase adj2 lock\$3 adj2 loop) and (first adj strobe)) and @ad<="20010330") and plurality near sample\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 14:42
S77	1	((((phase adj2 lock\$3 adj2 loop) and (first adj strobe)) and @ad<="20010330") and signal near width	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 14:45
S78	1	((((phase adj2 lock\$3 adj2 loop) and (first adj strobe)) and @ad<="20010330") and correct\$3 adj signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 14:44
S79	1	((((phase adj2 lock\$3 adj2 loop) and (first adj strobe)) and @ad<="20010330") and clock adj recovery	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 14:45
S80	3	("5519342" "5828257" "5872959").PN.	USPAT	OR	OFF	2004/08/06 14:47
S81	34	((phase adj2 lock\$3 adj2 loop) and (first adj strobe)) and @ad<="20010330"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 15:20
S82	0	determin\$3 near ((data adj width) and (data adj type))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 15:21
S83	4470	determin\$3 near ((data or pulse) adj width)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 15:21
S84	4581	determin\$3 near ((data or pulse or bit) adj width)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 15:25

S85	86	((determin\$3 near ((data or pulse or bit) adj width)) and correction adj signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 15:26
S86	0	((determin\$3 near ((data or pulse or bit) adj width)) and correction adj signal\$1) and ((reference adj clock) near (plurality adj2 phase\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 15:29
S87	6	((determin\$3 near ((data or pulse or bit) adj width)) and correction adj signal\$1) and (reference adj clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 15:24
S88	223	determin\$3 near ((data or bit) adj width)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 15:27
S89	1	(determin\$3 near ((data or bit) adj width)) and correction adj signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 15:28
S90	1	((determin\$3 near ((data or bit) adj width)) and correction adj signal\$1) and correction adj signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 15:28
S91	231	determin\$3 near ((data or bit or symbol) adj width)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 15:28
S92	192	(determin\$3 near ((data or bit or symbol) adj width)) and @ad<="20010330"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 15:29
S93	0	((determin\$3 near ((data or bit or symbol) adj width)) and @ad<="20010330") and ((reference adj clock) near (plurality adj2 phase\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 15:29
S94	0	((determin\$3 near ((data or bit or symbol) adj width)) and @ad<="20010330") and ((reference adj clock) with (plurality adj2 phase\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 15:29
S95	1	((determin\$3 near ((data or bit or symbol) adj width)) and @ad<="20010330") and ((reference adj clock) and (plurality adj2 phase\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/06 15:29